SAFETY DATA SHEET
SAFE-SCAV* HSN

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name SAFE-SCAV* HSN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Hydrogen sulphide scavenger.

1.3. Details of the supplier of the safety data sheet

Supplier

M-I SWACO
A Schlumberger Company
Woodlands Drive
Kirkhill Industrial Estate
Dyce, Aberdeen AB21 0GW
Scotland UK
T=+44(0)1224-246600
F=+11(0)1224-246699
Email - MISDS@slb.com

1.4. Emergency telephone number

(24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 561 1600.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and Chemical Hazards	Not classified.
Human health	Acute Tox. 4 - H302;Acute Tox. 2 - H330;Skin Sens. 1 - H317
Environment	Not classified.

Classification (1999/45/EEC) T;R23. Xn;R22. R43.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

2.2. Label elements

Contains 2,2',2"-(HEXAHYDRO-1,3,5-TRIAZINE-1,3,5-TRIYL)TRIETHANOL

Label In Accordance With (EC) No. 1272/2008

Signal Word Danger

Hazard Statements

H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H330	Fatal if inhaled.

Precautionary Statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P261	Avoid breathing vapour/spray.
P310	Immediately call a POISON CENTER or doctor/physician.
P363	Wash contaminated clothing before reuse.
P501A	Dispose of waste and residues in accordance with local authority requirements This material and its container must be disposed of as a hazardous waste.

2.3. Other hazards

Not Classified as PBT/vPvB by current EU criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

2,2',2"-(HEXAHYDRO-1,3,5-TRIAZINE-1,3,5-TRIYL)TRIETHANOL **40-60%**

CAS-No.: 4719-04-4 **EC No.: 225-208-0**

Classification (EC 1272/2008)	Classification (67/548/EEC)
Acute Tox. 4 - H302	T;R23.
Acute Tox. 2 - H330	Xn;R22.
Skin Sens. 1 - H317	R43.

WATER **30-60%**

Classification (EC 1272/2008)	Classification (67/548/EEC)
Not classified.	Not classified.

2-AMINOETHANOL **1-5%**

CAS-No.: 141-43-5 **EC No.: 205-483-3**

Classification (EC 1272/2008)	Classification (67/548/EEC)
Acute Tox. 4 - H302	C;R34
Acute Tox. 4 - H312	Xn;R20/21/22
Acute Tox. 4 - H332	
Skin Corr. 1B - H314	
STOT SE 3 - H335	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition Comments

The data shown is in accordance with the latest EC Directives.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Move the exposed person to fresh air at once. If respiratory problems, artificial respiration/oxygen. Get medical attention if any discomfort continues.

Ingestion

Do not induce vomiting. Immediately give a couple of glasses of water or milk, provided the victim is fully conscious. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical attention.

Skin contact

Remove contaminated clothing. Wash skin thoroughly with soap and water. Wash contaminated clothing before reuse. Get medical attention promptly if symptoms occur after washing.

Eye contact

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation.

Toxic by inhalation.

Ingestion

Harmful if swallowed.

Skin contact

May cause sensitisation by skin contact.

Eye contact

May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Get medical attention if any discomfort continues.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Water spray, foam, dry powder or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

Fire or high temperatures create: Vapours/gases/fumes of: Formaldehyde. Oxides of: Carbon. Nitrogen.

5.3. Advice for firefighters

Special Fire Fighting Procedures

Containers close to fire should be removed immediately or cooled with water.

Protective equipment for fire-fighters

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Do not allow to enter drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up

Stop leak if possible without risk. Dike far ahead of larger spills for later disposal. Absorb spillage with suitable absorbent material. Shovel into dry containers. Cover and move the containers. Flush the area with water.

6.4. Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Persons susceptible to allergic reactions should not handle this product. Avoid inhalation of vapours/spray and contact with skin and eyes. All handling to take place in well-ventilated area.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place.

Storage Class

Toxic storage.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
2-AMINOETHANOL	WEL	1 ppm	2,5 mg/m3	3 ppm	7,6 mg/m3	Sk

WEL = Workplace Exposure Limit.
Sk = Can be absorbed through skin.

2,2',2"-(HEXAHYDRO-1,3,5-TRIAZINE-1,3,5-TRIYL)TRIETHANOL (CAS: 4719-04-4)

DNEL

Inhalation.	Long Term	Systemic Effects	19 mg/m³

PNEC

Freshwater	0.006mg/L
Marinewater	0.00066mg/L
Soil	0.00219mg/kg
STP	5.5mg/L
Sediment (Freshwater)	0.0172mg/kg
Sediment (Marinewater)	0.00172mg/kg
Intermittent release	0.66mg/L

8.2. Exposure controls

Protective equipment

Process conditions

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

Engineering measures

Provide adequate general and local exhaust ventilation.

Respiratory equipment

Wear suitable respiratory protection. A minimum of a chemical respirator with organic vapour cartridge should be worn. If there are conditions in which this triazine containing product produces a vapor, a chemical respirator with A1 +Formaldehyde and P2 particulate pre-filter combination would be required.

Hand protection

Chemical resistant gloves required for prolonged or repeated contact. Use protective gloves made of: Nitrile. or Neoprene. Be aware that the liquid may penetrate the gloves. Frequent change is advisable.

Eye protection

Wear approved chemical safety goggles where eye exposure is reasonably probable.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact. Provide eyewash station.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless to pale yellow.
Odour	Amine.
Solubility	Soluble in water.
Melting point (°C)	<-20°C
Relative density	1.1g/ml 25°C
pH-Value, Conc. Solution	10.2-11.3
pH-Value, Diluted Solution	9.9-10.9 1% solution
Viscosity	<40 cps 20°C
Flash point	>70°C Sh CC (Setaflash closed cup).

9.2. Other information

Not relevant

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Not known.

10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials To Avoid

Avoid contact with acids and oxidising substances. Bases.

10.6. Hazardous decomposition products

Fire or high temperatures create: Vapours/gases/fumes of: Formaldehyde. Oxides of: Carbon. Nitrogen.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxicological information

This product may contain or release trace amounts of formaldehyde. The International Agency for Research on Cancer (IARC) has classified formaldehyde as a Group 1carcinogen(limited evidence in humans, sufficient evidence in animals). exposure to formaldehyde has been linked to adverse reproductive effects in some human and animal studies. In other reproductive studies, however, no adverse effects were noted. (Meditext). Formaldehyde may also cause skin and respiratory sensitisation (allergic reaction).

Acute toxicity:

Acute Toxicity (Oral LD50)

763 mg/kg Rat

Acute Toxicity (Inhalation LC50)

0.371 mg/l (vapours) Rat

Aspiration hazard:

Not anticipated to present an aspiration hazard based on chemical structure.

Inhalation

Toxic by inhalation.

Ingestion

Harmful if swallowed.

Skin contact

May cause sensitisation by skin contact.

Eye contact

Irritating to eyes.

Route of entry

No route of entry noted.

Target Organs

No specific target organs noted

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Contact M-I SWACO's QHSE Department for ecological information at env@miswaco.slb.com.

12.1. Toxicity

Acute Fish Toxicity

The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.

12.2. Persistence and degradability

Degradability

The product is biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential

The product is not bioaccumulating.

12.4. Mobility in soil

Mobility:

The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Not Classified as PBT/vPvB by current EU criteria.

12.6. Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Recover and reclaim or recycle, if practical. Dispose of waste and residues in accordance with local authority requirements. This material and its container must be disposed of as hazardous waste.

Waste Class

The definitive European Waste code for this product will depend upon the final use that is made of this material. EWC-code: 07 01 04. Waste number: 7152. Organic waste without halogen.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

UN No. (ADR/RID/ADN)	2810
UN No. (IMDG)	2810
UN No. (ICAO)	2810

14.2. UN proper shipping name

Proper Shipping Name	TOXIC LIQUID, ORGANIC, N.O.S. (2, 2', 2"-(hexahydro-1, 3, 5-triazine -1, 3, 5-triyl) triethanol)

14.3. Transport hazard class(es)

ADR/RID/ADN Class	6.1
ADR/RID/ADN Class	Class 6.1:Toxic substances.
IMDG Class	6.1
ICAO Class/Division	6.1

Transport Labels

14.4. Packing group

ADR/RID/ADN Packing group	II
IMDG Packing group	II
ICAO Packing group	II

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant

No.

14.6. Special precautions for user

EMS	F-A, S-A
Emergency Action Code	2X
Hazard No. (ADR)	60
Tunnel Restriction Code	(D/E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Uk Regulatory References

Chemicals (Hazard Information & Packaging) Regulations. Control of Substances Hazardous to Health Regulations 2002 (as amended) Workplace Exposure Limits EH40.

EU Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

Water hazard classification

WGK 1

15.2. Chemical Safety Assessment

International Chemical Inventories

Contact REACH@miswaco.slb.com for REACH information. Complies with the following national/regional chemical inventory requirements: Australia (AICS), Canada (DSL / NDSL), China (IECSC), Europe (EINECS / ELINCS), Japan (METI / ENCS), Korea (TCCL / ECL), New Zealand (NZIoC), Phillipines (PICCS), United States (TSCA).

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms used in the safety data sheet

*a mark of M-I L.L.C.

Information Sources

Product information provided by the commercial vendor(s). Material Safety Data Sheet, Misc. manufacturers. LOLI. European Chemicals Bureau - ESIS (European Chemical Substances Information).

Revision Comments

The following sections have been revised: 2 Compiled or revised by Sandra McWilliam

Issued By	Bill Cameron
Revision Date	27-Nov-12
Revision	1
Supersedes date	11-Aug-11
SDS No.	15009

Risk Phrases In Full

R34	Causes burns.
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R22	Harmful if swallowed.
R37	Irritating to respiratory system.
R43	May cause sensitisation by skin contact.
R23	Toxic by inhalation.

Hazard Statements In Full

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

Disclaimer

MSDS furnished independent of product sale. While every effort has been made to accurately describe this product, some of the data are obtained from sources beyond our direct supervision. We cannot make any assertions as to its reliability or completeness; therefore, user may rely only at user's risk. We have made no effort to censor or conceal deleterious aspects of this product. Since we cannot anticipate or control the conditions under which this information and product may be used, we make no guarantee that the precautions we have suggested will be adequate for all individuals and/or situations is the obligation of each user of this product to comply with the requirements of all applicable laws regarding use and disposal of this product. Additional information will be furnished upon request to assist the user; however, no warranty, either expressed or implied, nor liability of any nature with respect to th product or to the data herein is made or incurred hereunder.